




Villeroy & Boch

1748

WALL-MOUNTED TOILETS
INTELLIGENT BATH SOLUTIONS

www.villeroy-boch.com/wallmount


PRODUCT ADVANTAGES



Unlike floor-mounted toilets, wall-mounted toilets can be installed with a rim height ranging from 15 1/2" to 19 1/2" to ensure optimal user comfort.



Ideal for bathrooms with limited footprints, wall-mounted toilets save space, requiring 6" less room than standard floor-mounted models with elongated bowls.



Installed off the floor, wall-mounted toilets are easier to clean and therefore more hygienic, making them especially suitable for use in open-shower environments.




Wall-mounted toilets conserve water, incorporating dual-flush technology that offers users a 0.8-gpf half flush for liquid waste and a 1.6-gpf full flush for solid waste.


PRELIMINARY INSTALLATION




1
Disconnect the plumbing supply line and remove the floor bolts to detach the existing toilet from the floor. Disconnect and remove the closet flange.



2
Open the wall and floor to reconfigure the plumbing lines and prepare the wall studs. The tank and carrier system is designed to fit between two standard 2" x 6" or 2" x 4" wall studs.




3
Determine the rim height of the toilet. Reroute the drain and supply line and install the carrier frame, securing it to the studs with additional screws or nails.



4
Install the tank and carrier as directed by the installation instructions. After installation is complete, close and finish the wall and floor as needed.


FINALASSEMBLY: STANDARD & CONCEALED BULLET INSTALLATION




Standard Installation: In a standard installation, the wall-mounted toilet is slid onto a pair of carrier bolts that are visible on either side of the toilet. The bowl must then be properly leveled.



Standard Installation: Once level, the toilet is fastened in place by tightening the hex nuts supplied with the carrier, and the bolts are capped for a more discreet appearance.




Concealed Bullet Installation: A toilet requiring a concealed bullet installation is mounted on bullets threaded onto the carrier bolts, whose grooves must point outward for proper alignment.




Concealed Bullet Installation: Equipped with an internal anchoring system, the toilet is secured by inserting an Allen key into the holes located on both sides of the bowl and turning it clockwise.


FINALASSEMBLY: SUPRAFIX INSTALLATION




The SupraFix system streamlines the installation of wall-mounted toilets by incorporating a bracket that is mounted on the carrier bolts and ensures precise positioning.



The toilet is then installed on the bracket and held in place with cylindrical screws inserted into two assembly holes located on top of the toilet base.



Tightening the cylindrical screws pulls the toilet closer to the wall while ensuring durable support. The system simplifies installation and eliminates the need for heavy lifting.



The toilet seat is attached with pins that are inserted into the same cylindrical screws that secure the toilet to the wall, reducing installation time.

PRICEPOINTS: WALL-MOUNTED TOILETS FOR ANY STYLE & BUDGET



AVEO
LIST PRICE: \$ 1,225.00 *



HOMMAGE
LIST PRICE: \$ 895.00 *



LA BELLE
LIST PRICE: \$ 1,685.00 *



MEMENTO
LIST PRICE: \$ 1,100.00 *



OMNIA ARCHITECTURA ORIGINAL
LIST PRICE: \$ 420.00 *



OMNIA ARCHITECTURA VITA
LIST PRICE: \$ 590.00 *



OMNIA ARCHITECTURA DESIGN
LIST PRICE: \$ 420.00 *



SENTIQUE
LIST PRICE: \$ 900.00 *




PURE STONE
LIST PRICE: \$ 1,540.00 *



SUBWAY 2.0
LIST PRICE: \$ 740.00 *



SUBWAY
LIST PRICE: \$ 770.00 *



FACTS AND FIGURES: WALL-MOUNTED TOILETS AT A GLANCE

	Article #	Dimensions (L) x (W)	Colors available	List Price*	Fixation	WaterSense
Aveo	9957 S1 XX - Seat (SC) 6612 10 XX - Bowl	23 1/4" x 15 3/4"	White Alpin C+	\$365.00 - Seat (SC) \$860.00 - Bowl	<i>Bullets</i>	✓
Hommage	8809 S1 XX - Seat (SC) 6661 B0 XX - Bowl	23 5/8" x 14 5/8"	White Alpin C+ Pergamon C+	\$270.00 - Seat (SC) \$625.00 - Bowl	<i>Bullets</i>	✓
La Belle	9M12 S1 XX - Seat (SC) 5627 10 XX - Bowl	23" x 15 1/8"	White Alpin C+	\$410.00 - Seat (SC) \$1,275.00 - Bowl	<i>SupraFix</i>	✓
Memento	9M17 S1 XX - Seat (SC) 5628 10 XX - Bowl	22" x 14 3/4"	White Alpin White Alpin C+ Edelweiss C+ Glossy Black C+	\$330.00 - Seat (SC) \$770.00 - Bowl	<i>SupraFix</i>	✓
Omnia Architectura Original	98M9 C1 XX - Seat (SC) 98M9 D1 XX - Seat 5674 10 XX - Bowl	22" x 14 5/8"	White Alpin	\$130.00 - Seat (SC) \$85.00 - Seat \$335.00 - Bowl	<i>Standard</i>	✓
Omnia Architectura Design	98M9 C1 XX - Seat (SC) 98M9 D1 XX - Seat 5684 10 XX - Bowl	20 7/8" x 14 5/8"	White Alpin	\$130.00 - Seat (SC) \$85.00 - Seat \$335.00 - Bowl	<i>Standard</i>	✓
Omnia Architectura Vita	98M9 61 XX - Seat 5678 10 XX - Bowl	28" x 14 5/8"	White Alpin	\$85.00 - Seat \$505.00 - Bowl	<i>Standard</i>	✓
Pure Stone	98M1 S1 XX - Seat (SC) 5670 10 XX - Bowl	23 1/4" x 20 7/8"	White Alpin C+ Grey Stone C+	\$440.00 - Seat (SC) \$1,110.00 - Bowl	<i>Bullets</i>	✓
Sentique	98M8 S1 XX - Seat (SC) 5622 10 XX - Bowl	23 1/4" x 14 3/4"	White Alpin White Alpin C+	\$300.00 - Seat (SC) \$600.00 - Bowl	<i>Bullets</i>	✓
Subway 2.0	9M18 S1 XX - Seat (SC) 5600 10 XX - Bowl	22 1/4" x 14 3/4"	White Alpin White Alpin C+	\$275.00 - Seat (SC) \$495.00 - Bowl	<i>SupraFix</i>	✓
Subway	9955 S1 XX - Seat (SC) 6600 10 XX - Bowl	22 1/4" x 14 3/4"	White Alpin White Alpin C+	\$275.00 - Seat (SC) \$495.00 - Bowl	<i>Bullets</i>	✓

* All prices displayed are for toilets in White Alpin except for models where White Alpin C+ is standard.

VILLEROY & BOCH

UNITED STATES

Villeroy & Boch AG
3A South Middlesex Avenue
Monroe Township
New Jersey 08831

Fon +1 800 536 22 84
Fax +1 609 655 2421



*Interested in learning more about the
advantages of wall-mounted toilets?*

*Check out our comprehensive multimedia
online guide to wall-mounted toilets.*

<http://www.villeroy-boch.com/wallmount>

9301 A8 G1 Assortments, shades and dimensions subject to the usual tolerances. We reserve the right to make technical modifications to the range and alter colors.

