

ARCHITECTURA METALRIM.

ULTRA-FLAT DESIGN.
OUTSTANDING STABILITY.



NEW PRODUCTS
FOR 2014

THE NEW GENERATION OF ULTRA-FLAT SHOWER TRAYS

Tested in compliance with EN 249

With 31 models, 2 rim heights, 2 finishes (standard or slip-resistant) and thus a total of 124 different options, Architectura MetalRim – the new generation of ultra-flat shower trays – it is possible to create individual designs and satisfy all manner of installation requirements whatever the bathroom layout. It is the first Villeroy & Boch collection to feature MetalRim technology: a galvanised steel profile is integrated along each of the four edges in the rim area guaranteeing maximum stability and material strength.



HIGH-QUALITY MATERIAL

- Impact-resistant cast sanitary acrylic (PMMA), incorporating a high-strength, water-resistant composite
- Closed and pore-free surface for easy care and high-gloss finish
- Repairable surface
- Ten-year guarantee (standard finish) or two-year guarantee (slip-resistant finish)



THE INNOVATIVE METALRIM

MetalRim technology: the integration of a galvanised steel profile along each of the four edges of the rim area



MAXIMUM STABILITY TESTED TO A LOAD-BEARING CAPACITY OF UP TO 1000 KG

- Extremely robust thanks to MetalRim technology, which has been tested under conditions reflecting shower tray installation
- Assures perfect stability of the shower tray, even for XXL dimensions



SAFETY: SLIP-RESISTANT FINISH, CLASS C, OPTIONALLY AVAILABLE

- Excellent grip across the entire shower tray surface for maximum safety
- Tested at a slope of more than 24° (PN 24)
- Easy to clean with soapy water



MINIMALIST DESIGN

- Ultra-flat, rimless look
- Integrated flush-fit outlet, supplied in White as standard



PLENTY OF CHOICE

- 31 models, 2 rim heights, 2 finish options
- In total, 124 options



SAFE AND SIMPLE INSTALLATION

- Installation on the screed - flush with the tiling, on tiles or on a pedestal, 3 installation options for maximum flexibility
- Optional base frame for a sturdy stand



BARRIER-FREE

Complies with current standards for barrier-free access thanks to various installation options

A PRIME EXAMPLE OF TECHNOLOGY: METALRIM

CROSS SECTION OF SHOWER TRAY,
RIM HEIGHT 15 MM



15 mm


High-strength, water-resistant
composite material

Galvanised steel profile along the four
edges in the rim area of the shower tray



4 mm thick cast acrylic with
full-body colouring

CROSS SECTION OF SHOWER TRAY,
RIM HEIGHT 48 MM



48 mm

SIMPLE AND SAFE INSTALLATION FOR EVERY PROJECT


RIM HEIGHT 15 MM

RIM HEIGHT 48 MM

INSTALLATION ON THE SCREED – FLUSH WITH TILING




- Installation of both shower tray and outlet in the screed
- Floor-flush sealant




- Installation of both shower tray and outlet in the screed
- Floor-flush sealant

INSTALLATION ON TILES




- Installation on tiles, with 15 mm rim height
- Installation of both shower tray and outlet in the screed




- Installation on tiles, with 48 mm rim height
- Installation of outlet in the screed

INSTALLATION ON A BASE FRAME



- Installation with shower tray feet
- Panel for tiling



- Installation with shower tray feet
- Panel for tiling



Installation in compliance with standards for barrier-free access

INSTALLATION ACCESSORIES



Chrome
matt plated

Chrome
plated

WATER OUTLET COVER INTEGRATED FLUSH INTO SHOWER TRAY SURFACE, 130x210 MM

- Supplied in White as standard
- Optionally available in matt chrome or chrome-plated

TEMPOPLEX PLUS OUTLET VALVE

- 90 mm in diameter, chrome
- Drainage rate 51 l/min

OPTIONAL BASE FRAME

- Height-adjustable from 105 to 190 mm
- Sound-insulating
- Simple installation
- Can be adapted to different shower tray sizes

OPTIONAL EXPANDING FOAM

OPTIONAL SELF-ADHESIVE SEALING TAPE



31 MODELS x 2 RIM HEIGHTS x 2 FINISHES = A CHOICE OF 124 OPTIONS

		WIDTH				
		700 mm	750 mm	800 mm	900 mm	1000 mm
LENGTH	800 mm			✓		
	900 mm	✓	✓	✓	✓	
	1000 mm	✓	✓	✓	✓	✓
	1200 mm	✓	✓	✓	✓	
	1400 mm	✓	✓	✓	✓	
	1500 mm			✓	✓	✓
	1600 mm	✓	✓	✓	✓	
	1700 mm	✓	✓	✓	✓	
	1800 mm			✓	✓	




VILLEROY & BOCH

Villeroy & Boch (UK) Limited
Bathroom, Wellness and Tiles Division
267 Merton Road
London SW 18 5JS

Tel. +44 208 871 40 28
Fax +44 208 870 37 20

Your contact:



DF10001

Variations in colour and dimensions comply with the customary tolerances.
We reserve the right to alter the product range, to modify models and to change colours.

PRO.VILLEROY-BOCH.COM/METALRIM